

EAST Search History**EAST Search History (Prior Art)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(optic\$2 near1 fiber) with fasten\$3 with ((double near2 tape))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/20 00:11
L1	2	"5410627".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 10:48
L2	2	"20060199144"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 10:57
L3	16	"5030321"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:00
L4	19844	fiber near5 loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:05
L5	2993	385/12,13.ccld.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:05
L6	201	L5 and L4 and (thermal \$2 temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:05

L7	100	L5 and L4 and (thermal\$2 temperature) with (strain length\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:13
L8	51914	fiber with sens\$3 and fiber near1 optic\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:16
L9	255786	(fiber near5 (reinforc\$3 composite))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:16
L10	2034	L9 and L8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:16
L11	493	L10 and (thermal\$2 temperature) with (strain length\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:16
L12	387	L10 and (thermal\$2 temperature) with (strain length\$3) with (fiber sens\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:28
L13	19844	fiber near5 loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:28
L14	51	L12 and L13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:28
L15	19844	fiber near5 loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:37

L16	2993	385/12,13.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:37
L17	101	L16 and L15 and (thermal\$2 temperature) with (strain length\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/07 11:37
S1	1	"10586547"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 08:05
S2	2	"20050201660"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/05 09:20
S3	2746	385/12,13.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/07 03:42
S4	635	385/32.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/07 03:42
S5	2751	385/12,13.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 04:49
S6	635	385/32.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 04:49
S7	45	S5 and S6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 04:49

S8	18622	fiber near5 loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 12:45
S9	2751	385/12,13.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 12:45
S10	253	S9 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 12:45
S11	183	S9 and S8 and (thermal \$2 temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 12:45
S12	86	S9 and S8 and (thermal \$2 temperature) with (strain length\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 12:51
S13	87	S9 and S8 and (thermal \$2 temperature) with (strain length\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 12:51
S14	156	propeller with sens\$3 and sens\$3 near3 (light optic\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 13:02
S15	0	S13 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 13:03
S16	38	fiber and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 13:03

S17	240937	(fiber near5 (reinforc\$3 composite))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 14:17
S18	175	S9 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 14:17
S19	25	S9 and S17 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 14:17
S20	2	"5649034".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 15:48
S21	2	"5649035".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 15:48
S22	8	(("5,726,744") or ("5,381,005") or ("6,384,404") or ("5,094,527") or ("5,649,035") or ("5,887,107") or ("5,196,694") or ("5,533,165")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/17 16:09
S23	4339	connector near3 embed\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 19:08
S24	20985	(fasten\$4 secur\$4 hold\$3) near3 embed\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 19:08

S25	2751	385/12,13.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 19:09
S26	2	S23 and S24 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 19:09
S27	240937	(fiber near5 (reinforc\$3 composite))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 20:38
S28	20985	(fasten\$4 secur\$4 hold \$3) near3 embed\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 20:38
S29	2751	385/12,13.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 20:38
S30	8	S28 and S29 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 20:38
S31	47905	fiber with sens\$3 and fiber near1 optic\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/17 23:45
S32	240937	(fiber near5 (reinforc\$3 composite))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 00:25
S33	1764	S32 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 00:25

S34	419	S33 and (thermal\$2 temperature) with (strain length\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 00:47
S35	352	S33 and (thermal\$2 temperature) with (strain length\$3) with (fiber sens\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 00:47
S36	18622	fiber near5 loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 00:47
S37	46	S35 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 00:47
S38	21011	(fasten\$4 secur\$4 hold \$3) near3 embed\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 19:12
S39	47941	fiber with sens\$3 and fiber near1 optic\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 19:12
S40	147	S38 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 19:12
S41	241074	(fiber near5 (reinforc\$3 composite))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 19:23
S42	55	(fasten\$4 secur\$4 hold \$3) near3 embed\$4 with S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 19:23

S43	0	S39 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 19:23
S44	109	(fiber near5 (reinforc\$3 composite)) with connect\$3 near5 embed \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 19:24
S45	28405	S39 and "18"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 19:36
S46	20	S39 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 19:36
S47	47941	fiber with sens\$3 and fiber near1 optic\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 15:40
S48	2623	fiber near3 wound\$3 with (loop\$3 coil\$3 ring \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 15:42
S49	635	S47 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 15:42
S50	133	S49 and (thermal\$2 temperature) with (strain length\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 15:43
S52	269	(optic\$2 near1 fiber) with spool with (install \$5 assembl\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 18:51

S53	55	S52.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 18:51
S54	2753	385/12,13.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 18:52
S55	4	S54 and S52	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 18:52
S56	241074	(fiber near5 (reinforc\$3 composite))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 20:40
S57	47941	fiber with sens\$3 and fiber near1 optic\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 20:40
S58	1767	S56 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 20:40
S59	269	(optic\$2 near1 fiber) with spool with (install \$5 assembl\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 20:40
S60	2	S59 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 20:40
S61	38060	(fiber near5 (reinforc\$3 composite)) with (mold \$3 mould\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 21:00

S62	4	S59 and S61	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 21:00
S63	1913	(optic\$2 near1 fiber) with spool	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 21:04
S64	6	S61 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 21:04
S65	7090	(optic\$2 near1 fiber) with (mold\$3 mould\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 21:13
S66	206	S61 and S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 21:13
S67	3	S63 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 21:14
S68	15	S57 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/19 21:18
S69	5	(optic\$2 near1 fiber) with fasten\$3 with (double near2 tape)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/20 00:11
S70	23	(optic\$2 near1 fiber) with fasten\$3 with (weav\$3 woven sow\$3 sew\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/20 00:11

S71	0	S69 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/20 00:12
S72	47941	fiber with sens\$3 and fiber near1 optic\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/20 00:42
S73	1041	turbine and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/20 00:42
S74	249	turbine with blade and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/20 00:42
S75	94	turbine with blade with sens\$3 and S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/20 00:42
S76	19304	fiber near5 loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/03 16:39
S77	2876	385/12,13.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/03 16:39
S78	94	S77 and S76 and (thermal\$2 temperature) with (strain length\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/03 16:39

EAST Search History (Interference)

< This search history is empty>

6/ 7/ 2010 11:44:36 AM

C:\ Documents and Settings\ cpeng\ My Documents\ EAST\ Workspaces\ 10586547Mortensen.wsp